

JNI





FIGURE 1



**FIGURE 2**





FIGURE 3



**FIGURE 4A**

<div data-bbox="83 593 101 756">&lt;Implementation class&gt;</div> <div data-bbox="104 648 122 701">MxTool</div>	<pre> +MxTool(in env: JNEnv *, in javaObjed: jobject, in className: string &amp;) +setName(in toolName: string &amp;), +getName(): string * +setCreatedById(in creatorID: long) +getCreatedById(): long +setModifiedBy(in modifierID: long) +getModifiedBy(): long +setCreatedTime(in milliseconds: long long) +getCreatedTime(): long long +setModifiedTime(in milliseconds: long long) +getModifiedTime(): long long +setMultiSystemAware(in newFlag: bool) +getMultiSystemAware(): bool +set ToolLaunchable(in newFlag: bool) +get ToolLaunchable(): bool +setToolLaunchable(): bool +setDescription(in description: string &amp;) +getDescription(): string * +setComment(in comment: string &amp;) +getComment(): string * +setOwnedBy(in ownedBy: long) +getOwnedBy(): long +setExecutedBy(in executedBy: long) +getExecutedBy(): long +addFileCopyPair(in source: string &amp;, in destination: string &amp;) +removeFileCopyPair(in source: string &amp;, in destination: string &amp;) +getFiles(): pairVector_t * +setFiles(in files: pairVector_t &amp;) +addRole(in newRole: long) +replaceRoles(in newRoles: intVector_t &amp;) +addRoles(in newRoles: intVector_t &amp;) ..... </pre>
--	---

441

FIGURE 4B





FIGURE 5

70



**FIGURE 6**




FIGURE 7